State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-160 Relating to Certification of New Motor Vehicles

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Mitsubishi Motors Corporation 1993 modelyear exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: PMT2.4V5FC47 Displacement: 2.4 Liters (143.4 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converter Heated Oxygen Sensor (2) Exhaust Gas Recirculation Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

Miles	Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen Oxides	
50,000	0.25	3.4	0.4	
100,000	0.31	4.2	N/A	

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen Oxides	
50,000	0.14	1.9	0.2	
100,000	0.15	2.1	N/A	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this May of July, 1992.

Mormon Karfin R. B. Summerfield

Assistant Division Chief Mobile Source Division

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # <u>A-86-160</u> Page 1

Mfr.: Mitsubishi Motors Corporation Engine Family: PMT2.4V5FC47

Passenger Car: X Light-Duty Truck:

Stds Type: Tier-1 Veh. Type (FFV, HEV(type A/B/C):

Fuel Type: Gas Evap. Family: IC Stds Type: Tier-1 Veh. Type (FFV, HEV(type Evap. Family: IC Liter (CID) 2.4(143.4)

Engine: Front X Rear ___

Drive : FWD \underline{X}

RWD

4WD-FT X 4WD-PT

Exhaust ECS & Special Features EGR+HO2S(2)+TWC+SFI

(use abbreviations per SAE J1930 MAY91)

Eng. Code	Vehicle Models	Trans. Type: *1	ETW	RLHP	Ign. System (ECM/PCM) Part No.	EGR System Part No.	Catalyst Part No.
CM	Plymouth Colt Vista Eagle Summit Wagon Mitsubishi Expo. LRV Mitsubishi EXPO	M5 (2WD)	3125 3250 3375	8.3	Distributor T6T58071	1 MD188857 (♣1 Solenoid	MB924342 (▲N6)
ACM			3250 3375	9.1	ECM E2T60572		
CA		L4 (2WD)	3250 3375	8.3			
ACA			3250 3500	9.1			
CM-F		M5	3375	9.4	Distributor T6T58071	5	MB906866 (▲N4)
ACM-F			3500 3625	10.4			
CA-F		L4 3500 (4WD) 3625		9.4	ECM E2T60573		
ACA-F			10.4				

*1: M-Manual transmission L-Automatic transmisison with lock-up

Date of Issue: Revisions: